

A large, faint background graphic of a network diagram. It consists of numerous circular nodes of varying sizes, connected by thin, light-colored lines, forming a complex web-like structure that spans the lower half of the page.

NEWS MAY 2025

www.japanpartssrl.eu

Brake system

BC02116RJM

Cable, parking brake



ALFA ROMEO 145 (930)
 ALFA ROMEO 146 (930)
 ALFA ROMEO 155 (167)
 FIAT TEMPRA (159)
 FIAT TEMPRA S.W. (159)
 FIAT TEMPRA S.W. (159_)
 FIAT TIPO (160)
 LANCIA DEDRA (835)
 LANCIA DEDRA SW (835)
 LANCIA DELTA II (836)

OE

46456850
 46456852
 60577826

Fitting Position: Right
 Length [mm]: 1451

BC02132JM

Cable, parking brake



CITROEN JUMPER Furgonato
 FIAT DUCATO Furgonato (250)
 PEUGEOT BOXER Furgonato

OE

1341031080
 1612040080
 474617

Fitting Position: Left Rear
 Fitting Position: Right Rear

PA0666JM

Brake Pad Set, disc brake



CITROEN C4 III
 CITROEN C4 X (BD_, BE_, BF_)
 DS DS 3 CROSSBACK (U_)
 FIAT 600e (365_)
 JEEP AVENGER
 OPEL CORSA F
 PEUGEOT 208 II (UB_, UP_, UW_, UJ_)

OE

16 813 711 80
 1681371180

Brake System: CBI
 For OE number: 1681371180
 Height [mm]: 63,8
 Supplementary Article/Supplementary Info 2:
 with brake caliper screws
 Supplementary Article/Supplementary Info:
 With accessories
 Thickness [mm]: 18,5
 Wear Warning Contact: Not prepared for wear
 indicator
 Width [mm]: 155,1
 WVA Number: 26620

Clutch

BCV02126JM

Cable, manual transmission



FIAT PUNTO (188)

OE

46544422
 46803967
 46821880
 46821889
 55186861
 55194774
 55234099

GC0624JM

Clutch Cable



PEUGEOT 206 2 volumi /Coda spiovente (2A/C)

OE

2150X4

Standard: cambio BE4

Clutch

GC0703JM

Clutch Cable



RENAULT 4 (112_)
 RENAULT 4 Furgonato (R21_, R23_)

OE

7700620231
 7704001778

Length [mm]: 651

Filter

FA-0201JM

Air Filter



FIAT 500 (312)
 FIAT 500 C (312)
 FIAT PANDA (519, 312, 319)
 FIAT PANDA VAN (312, 519)
 LANCIA YPSILON (312, 846)

OE

52000306

Filter Type: Filter Insert
 For OE number: 52000306
 Height [mm]: 52
 Length [mm]: 346
 Width [mm]: 133

FA-196JM

Air Filter



HONDA CIVIC V Coupé (EJ)
 HONDA CIVIC VI Coupé (EJ, EM1)
 HONDA CIVIC VI Fastback (MA, MB)
 HONDA CIVIC VI Hatchback (EJ, EK)
 HONDA CIVIC VI Tre volumi (EJ, EK)
 INFINITI FX
 INFINITI Q60 Coupé
 INFINITI QX70
 NISSAN 100 NX (B13)
 NISSAN 200 SX (S14)
 NISSAN 300 ZX (Z32)
 NISSAN ALMERA I (N15)
 NISSAN ALMERA I Hatchback (N15)
 NISSAN JUKE (F15)
 NISSAN JUKE Van (F15)
 NISSAN MICRA IV (K13)
 NISSAN MICRA IV (K13KK)
 NISSAN NOTE (E12)
 NISSAN PRIMERA (P10)
 NISSAN PRIMERA (P11)
 NISSAN PRIMERA Hatchback (P10)
 NISSAN PRIMERA Hatchback (P11)
 NISSAN PRIMERA Traveller (W10)
 NISSAN PRIMERA Traveller (WP11)
 NISSAN PULSAR 2 volumi /Coda spiovente (C13)
 NISSAN SENTRA (B17)
 NISSAN SUNNY Furgonato (Y10)
 NISSAN SUNNY III (N14)
 NISSAN SUNNY III Hatchback (N14)
 NISSAN SUNNY III Liftback (N14)
 NISSAN SUNNY III Traveller (Y10)
 NISSAN X-TRAIL (T31)
 RENAULT KOLEOS (HY_)
 SUBARU LEGACY I (BC)
 SUBARU LEGACY I Station wagon (BC, BJB)
 SUBARU LEGACY II (BD, BG)

OE

16516-73C10
 16543-73C11
 16546-30P00
 16546-3J410
 16546-73C10
 16546-73C11
 16546-JG30A
 16546079VA
 1654617800
 1654617B00
 165461HC2A
 1654630P00
 165463J410
 165463J41A
 1654673C00
 1654673C01
 1654673C10
 1654673C11
 1654673C60
 16546AA030
 16546JG30A
 17220-P2A-005
 17220-P2F-A01
 17220-P2F-Y01
 17220P2A000
 17220P2A005
 17220P2A505
 17220P2CY01
 17220P2FA01
 17220P2FA010
 17220PEFM01
 5860100850
 AY120NS022

Filter Type: Filter Insert
 For OE number: 17220P2A005
 Height [mm]: 34,5
 Length [mm]: 229,5
 Width [mm]: 169,8

Filter

FAA-017JM

Filter, interior air



INFINITI Q30
 INFINITI QX30
 MERCEDES-BENZ CLA Coupé (C117)
 MERCEDES-BENZ CLA Shooting Brake (X117)
 MERCEDES-BENZ CLASSE A (W176)
 MERCEDES-BENZ CLASSE B (W246, W242)
 MERCEDES-BENZ CLASSE GLA (X156)


OE

246 830 00 18
 246 830 01 18
 27277-5DA0A
 27277-5DA2A
 A 246 830 00 18
 A 246 830 01 18

Filter Type: Activated Carbon Filter
 For OE number: 272775DA2A
 Height [mm]: 43
 Length [mm]: 240
 Width [mm]: 254

FAA-039JM

Filter, interior air



MG MARVEL R

OE

10452996

Filter Type: Activated Carbon Filter
 For OE number: 10452996
 Height [mm]: 28
 Length [mm]: 291
 Width [mm]: 179

Mounting

BQ377L

Track Control Arm



MAZDA CX-5 (KF)

OE

KB7W 28 550

Bar/Strut: Push Rod
 Fitting Position: Lower
 Fitting Position: Rear Axle Left
 Length [mm]: 345
 Steering Type: Trailing Arm

BQ377R

Track Control Arm



MAZDA CX-5 (KF)

OE

KB7W 28 500

Bar/Strut: Push Rod
 Fitting Position: Lower
 Fitting Position: Rear Axle Right
 Length [mm]: 345
 Steering Type: Trailing Arm

MQ-01262

Shock Absorber



BMW Z4 Roadster (G29)
 TOYOTA SUPRA (DB_)

OE

31 31 6 879 191
 6 879 191

Fitting Position: Front Axle Left
 For OE number: 31316879191
 Paired article numbers: MA-01263
 Paired article numbers: MJ01263
 Paired article numbers: MM-01263
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

Mounting

MQ-01263

Shock Absorber



BMW Z4 Roadster (G29)
TOYOTA SUPRA (DB_)

OE

31 31 6 879 192
6 879 192

Fitting Position: Front Axle Right
For OE number: 31316879192
Paired article numbers: MA-01262
Paired article numbers: MJ01262
Paired article numbers: MM-01262
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01264

Shock Absorber



BMW Z4 Roadster (G29)
TOYOTA SUPRA (DB_)

OE

31 31 6 879 193
48520-WAA01
48520-WAA02
48520-WAA03
48520-WAA04
6 879 193

Fitting Position: Front Axle Left
For OE number: 31316879193
Paired article numbers: MA-01265
Paired article numbers: MJ01265
Paired article numbers: MM-01265
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

MQ-01265

Shock Absorber



BMW Z4 Roadster (G29)
TOYOTA SUPRA (DB_)

OE

31 31 6 879 194
48510-WAA01
48510-WAA02
48510-WAA03
48510-WAA04
6 879 194

Fitting Position: Front Axle Right
For OE number: 31316879194
Paired article numbers: MA-01264
Paired article numbers: MJ01264
Paired article numbers: MM-01264
Shock Absorber Design: Suspension Strut
Shock Absorber Mounting Type: Top pin
Shock Absorber Type: Gas Pressure

Mounting

MQ-01283

Shock Absorber

Mounting

MQ-01283

Shock Absorber



FORD FIESTA VII
 FORD FIESTA VII Van

OE

2087074
 2087077
 2087080
 2087088
 2087093
 2087100
 2096458
 2096459
 2096460
 2096461
 2096464
 2096465
 2105333
 2105336
 2105340
 2107873
 2118093
 2118094
 2118095
 2118096
 2150624
 2150628
 2180736
 2180737
 2390598
 2390600
 2390602
 2390604
 2390606
 2390608
 2427490
 2440412
 2440414
 2506201
 2506208
 2506210
 2523821
 2523823
 2523825
 H1BC18080AA
 H1BC18080AB
 H1BC18080AC
 H1BC18080AD
 H1BC18080AE
 H1BC18080AF
 H1BC18080BA
 H1BC18080BB
 H1BC18080BC
 H1BC18080BD
 H1BC18080BE
 H1BC18080BF
 H1BC18080CA
 H1BC18080CB
 H1BC18080CC
 H1BC18080CD
 H1BC18080CE
 H1BC18080DA
 H1BC18080DB
 H1BC18080DC
 H1BC18080DD

Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top eye
 Shock Absorber Type: Gas Pressure
 Weight [kg]: 1,6

Mounting

MQ-01283

Shock Absorber

H1BC18080DE
 H1BC18080DF
 H1BC18080GA
 H1BC18080GB
 H1BC18080KB
 H1BC18080KC
 H1BC18080KD
 H1BC18080KE
 H1BC18080KF
 H1BC18080KG
 H1BC18080LB
 H1BC18080LC
 H1BC18080LD
 H1BC18080LE
 H1BC18080LF
 H1BC18080RA
 H1BC18080RB
 H1BC18080SA

MQ-01284

Shock Absorber



CITROEN C4 III
 CITROEN C4 X (BD_, BE_, BF_)

OE
 9841379480

Fitting Position: Rear Axle
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

Mounting

MQ-01285

Shock Absorber



MERCEDES-BENZ CLA (C118)
 MERCEDES-BENZ CLA Shooting Brake (X118)
 MERCEDES-BENZ CLASSE B (W247)
 MERCEDES-BENZ CLASSE-A (W177)
 MERCEDES-BENZ CLASSE-A Tre volumi (W177)

OE

1183200001
 1183200501
 1183200601
 1183200700
 1183200800
 1183201101
 1183201201
 1183201301
 1183201401
 1183208500
 1183208600
 1183209900
 1773200002
 1773200031
 1773200103
 1773200203
 1773200302
 1773205503
 1773205603
 1773206103
 1773206203
 1773206600
 1773206703
 1773206803
 1773208400
 1773208902
 1773209002
 1773209502
 1773209602
 1773209801
 2473200031
 2473202702
 2473202902
 2473203600
 2473205104
 2473205304
 2473206104
 2473206204
 2473208403
 2473208703
 2473209103
 2473209203

Fitting Position: Rear Axle
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Monotube
 Shock Absorber Type: Gas Pressure

Mounting

MQ-01286

Shock Absorber



FORD FOCUS IV
 FORD FOCUS IV Tre volumi (HM)

OE

2194222
 2194225
 2210870
 2248977
 2250173
 2279421
 2460313
 2460328
 JX6118080EAB
 JX6118080EAC
 JX6118080EAD
 JX6118080EAE
 JX6118080EKD
 JX6118080EKE
 JX6118080EKF

Fitting Position: Rear Axle
 Shock Absorber Design: Telescopic Shock Absorber
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Monotube
 Shock Absorber Type: Gas Pressure

MQ-33115

Shock Absorber



MAZDA 2 2 volumi /Coda spiovente (KB)
 TOYOTA YARIS (_P21_, _PA1_, _PH1_)

OE

48520-52F80
 48520-52F90
 48520-K0070
 48520-K0080
 48520-K0090
 48520-K0120

Fitting Position: Front Axle Left
 For OE number: 48520K0090
 Paired article numbers: MA-33116
 Paired article numbers: MJ33116
 Paired article numbers: MM-33116
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-33116

Shock Absorber



MAZDA 2 2 volumi /Coda spiovente (KB)
 TOYOTA YARIS (_P21_, _PA1_, _PH1_)

OE

48510-52S80
 48510-52S90
 48510-K0070
 48510-K0080
 48510-K0090
 48510-K0120

Fitting Position: Front Axle Right
 For OE number: 48510K0090
 Paired article numbers: MA-33115
 Paired article numbers: MJ33115
 Paired article numbers: MM-33115
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-33126

Shock Absorber



MAZDA MX-30 (DR)

OE

DN4E-34-900
 DN4E-34-900A

Fitting Position: Front Axle Left
 For OE number: DN4E34900
 Paired article numbers: MA-33127
 Paired article numbers: MJ33127
 Paired article numbers: MM-33127
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

Mounting

MQ-33127

Shock Absorber



MAZDA MX-30 (DR)

OE
 DN4E-34-700
 DN4E-34-700A

Fitting Position: Front Axle Right
 For OE number: DN4E34700
 Paired article numbers: MA-33126
 Paired article numbers: MJ33126
 Paired article numbers: MM-33126
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom Clamp
 Shock Absorber Mounting Type: Top pin
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-50094

Shock Absorber



MITSUBISHI ASX (VSX_, VSE_)
 NISSAN JUKE (F16_)
 RENAULT CAPTUR II

OE
 543020474R
 543024540R
 543026917R
 543027186R
 543032197R
 543033662R
 E430300Q1J

For OE number: E430300Q1J
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Bottom Clamp
 Shock Absorber Mounting Type: Top eye
 Shock Absorber System: Twin-Tube
 Shock Absorber Type: Gas Pressure

MQ-AS397

Boot, air suspension



IVECO DAILY III Autobus
 IVECO DAILY III Cassone / Furgonato / Promiscuo
 IVECO DAILY III Pianale piatto/Telaio
 IVECO DAILY IV Cassone / Furgonato / Promiscuo
 IVECO DAILY IV Pianale piatto/Telaio
 IVECO DAILY V Cassone / Furgonato / Promiscuo

OE
 504035755
 504035756

Fitting Position: Left and right
 Fitting Position: Rear Axle
 Spring Type: for vehicles with rear axle pneumatic suspension
 Suspension: For vehicles with height-adjustable suspension

MQ-AS427

Shock Absorber



BMW X5 (E70)

OE
 37 11 6 794 531
 37 11 6 794 533
 37 11 6 794 539
 6 794 531
 6 794 533
 6 794 539

Fitting Position: Front Axle Left
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

MQ-AS428

Shock Absorber



BMW X5 (E70)

OE
 37 11 6 794 532
 37 11 6 794 534
 37 11 6 794 540
 6 794 532
 6 794 534
 6 794 540

Fitting Position: Front Axle Right
 Shock Absorber Design: Suspension Strut
 Shock Absorber Mounting Type: Top pin
 Shock Absorber Type: Gas Pressure

Mounting

MQ-AS465

Air Spring Strut



BMW 5 Touring (G31)
 BMW 5 Touring Van (G31)
 BMW 6 Gran Turismo (G32)

OE

37106872968
 37106882822
 37106882826
 37106885955
 37106897850
 37106897854
 6872968
 6882822
 6882826
 6885955
 6897850
 6897854

Fitting Position: Right Rear
 Paired article numbers: MA-AS466
 Paired article numbers: MJAS466
 Paired article numbers: MM-AS466
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top yoke
 Spring Type: for pneumatic suspension vehicles
 Suspension: For vehicles without electronic suspension control

MQ-AS466

Air Spring Strut



BMW 5 Touring (G31)
 BMW 5 Touring Van (G31)
 BMW 6 Gran Turismo (G32)

OE

37106872967
 37106882821
 37106882825
 37106885956
 37106897849
 37106897853
 6872967
 6882821
 6882825
 6885956
 6897849
 6897853

Fitting Position: Left Rear
 Paired article numbers: MA-AS465
 Paired article numbers: MJAS465
 Paired article numbers: MM-AS465
 Shock Absorber Mounting Type: Bottom eye
 Shock Absorber Mounting Type: Top yoke
 Spring Type: for pneumatic suspension vehicles
 Suspension: For vehicles without electronic suspension control

ZCQ00001

Coil Spring



MINI MINI (F55)
 MINI MINI (F56)

OE

31336864176
 31336864177

Fitting Position: Front Axle
 Length [mm]: 266
 Outer Diameter [mm]: 160
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 12,2

ZCQ00003

Coil Spring



OPEL CORSA E
 OPEL CORSA E Van

OE

13433406
 13433407
 13433408
 312649
 312650
 312651

Fitting Position: Front Axle
 Length [mm]: 319
 Outer Diameter [mm]: 150
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 12,8

ZCQ00004

Coil Spring



OPEL CORSA E
 OPEL CORSA E Van

OE

13433131
 424493

Fitting Position: Rear Axle
 Length [mm]: 267
 Outer Diameter [mm]: 119,4
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 11,2

Mounting

ZCQ00005
Coil Spring

 AUDI A4 (8W2, B9)
 AUDI A4 Avant (8W5, B9)

OE
 8W0511115EM

 Fitting Position: Rear Axle
 Length [mm]: 270
 Outer Diameter [mm]: 113,8
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 12,8

ZCQ1520A
Coil Spring

 FORD TOURNEO COURIER Kombi
 FORD TRANSIT COURIER Furgonato
 FORD TRANSIT COURIER Kombi

OE
 2207167
 2207169

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1522A
Coil Spring


FORD FIESTA VII

OE
 2116088
 H1BC-5310-AAB

 Fitting Position: Front Axle
 Number of Coils: 5,25
 Spring Design: Coil Spring

ZCQ1595A
Coil Spring

 BMW 5 (G30)
 BMW 5 Touring (G31)

OE
 31 33 6 879 725
 31 33 6 879 726

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1597A
Coil Spring


BMW 5 (G30)

OE
 31 33 6 879 738
 31 33 6 879 739

 Fitting Position: Front Axle
 Spring Design: Coil Spring

Mounting

ZCQ1598A
Coil Spring

BMW 5 Touring (G31)


OE

 31 33 6 881 893
 31 33 6 881 894

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1600A
Coil Spring

VW CRAFTER Furgonato


OE

2N0 411 105 AH

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1601A
Coil Spring

 VOLVO S90 II
 VOLVO V90 II

OE

 31658913
 31658914
 31658915

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1604A
Coil Spring

VW CRAFTER Furgonato


OE

 2N0 411 105 AM
 2N0 411 105 AN

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1605A
Coil Spring

 CITROEN JUMPER Furgonato
 FIAT DUCATO Furgonato (250)
 PEUGEOT BOXER Furgonato

OE

 1608309680
 50710432

 Fitting Position: Front Axle
 Reinforced Version:
 Spring Design: Coil Spring

Mounting

ZCQ1611A
Coil Spring

 CITROEN JUMPY Furgonato
 PEUGEOT EXPERT Furgonato

OE
 98 145 385 80

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1613A
Coil Spring

 CITROEN JUMPY Furgonato
 PEUGEOT EXPERT Furgonato

OE
 98 145 383 80
 98 145 384 80

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1614A
Coil Spring

 CITROEN JUMPY Furgonato
 PEUGEOT EXPERT Furgonato

OE
 98 145 382 80

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1615A
Coil Spring

 VOLVO S90 II
 VOLVO V90 II

OE
 31658907
 31658908

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1616A
Coil Spring

 VOLVO S90 II
 VOLVO V90 II

OE
 31681019

 Fitting Position: Front Axle
 Spring Design: Coil Spring

Mounting

ZCQ1621A
Coil Spring

 AUDI A4 (8EC, B7)
 AUDI A4 Avant (8ED, B7)

OE

 8E0411105BL
 8E0411105DL

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1630A
Coil Spring

 CITROEN JUMPY Furgonato
 PEUGEOT EXPERT Furgonato

OE

 98 145 381 80
 98 191 831 80

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1635A
Coil Spring

 VOLVO S90 II
 VOLVO V90 II

OE

31681018

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1636A
Coil Spring


BMW 5 Gran Turismo (F07)

OE

31 33 6 858 421

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1639A
Coil Spring


HYUNDAI KONA (OS)

OE

 54632J9300
 54632J9350

 Fitting Position: Front Axle
 Length [mm]: 304
 Outer Diameter [mm]: 165
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 13

Mounting

ZCQ1640A
Coil Spring

KIA SPORTAGE (QL)


OE

 54630F 1DB0
 54630F 1DB1

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1641A
Coil Spring

KIA SPORTAGE (QL)


OE

 54630F 1DE0
 54630F 1DE1

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1642A
Coil Spring

KIA SPORTAGE (QL)


OE

 54630F 1DF0
 54630F 1DF1

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1644A
Coil Spring

BMW 5 Touring (G31)


OE

31 33 6 882 395

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1645A
Coil Spring

 BMW 5 (G30)
 BMW 5 Touring (F11)
 BMW 5 Touring (G31)

OE

 31 33 6 879 721
 31 33 6 879 722
 31 33 6 882 392

 Fitting Position: Front Axle
 Spring Design: Coil Spring
 Suspension: For vehicles with M-technics

Mounting

ZCQ1646A

Coil Spring

NISSAN NV200 EVALIA
NISSAN NV200 Furgonato



OE

54010BJ00A
54010JX52A

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCQ1647A

Coil Spring

KIA SPORTAGE (QL)



OE

54630F 1DG0
54630F 1DG1

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCQ1648A

Coil Spring

BMW 1 (F40)
MINI MINI COUNTRYMAN (F60)



OE

31336876874
31336876875
31336876876

Fitting Position: Front
Length [mm]: 275
Outer Diameter [mm]: 158
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13,5

ZCQ1651A

Coil Spring

BMW 5 Touring (G31)



OE

31 33 6 881 898

Fitting Position: Front Axle
Spring Design: Coil Spring

ZCQ1652A

Coil Spring

BMW 5 (G30)



OE

31 33 6 879 735
31 33 6 879 736
31 33 6 879 737

Fitting Position: Front Axle
Spring Design: Coil Spring

Mounting

ZCQ1653A

Coil Spring

HYUNDAI KONA (OS)



OE

54632J 9320
54632J 9370
54632J 9EG0
54632J9320
54632J9370
54632J9EG0

Fitting Position: Front Axle
Length [mm]: 302
Outer Diameter [mm]: 155
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13

ZCQ1654A

Coil Spring

HYUNDAI KONA (OS)



OE

54632K 4000

Fitting Position: Front
Spring Design: Coil Spring

ZCQ1655A

Coil Spring

HYUNDAI KONA (OS)



OE

54632J 9330
54632J 9340
54632J 9EB0
54632J9330
54632J9340
54632J9EB0

Fitting Position: Front Axle
Length [mm]: 307
Outer Diameter [mm]: 153
Spring Design: Coil Spring
Thickness/Strength 1 [mm]: 13

ZCQ1657A

Coil Spring

MINI MINI COUNTRYMAN (F60)



OE

31 33 6 872 337
31 33 6 872 338

Fitting Position: Front
Length 1 [mm]: 289
Thickness/Strength 1 [mm]: 13,25

ZCQ1658A

Coil Spring

FORD KA



OE

2019640
G1B5-5310-AB

Fitting Position: Front Axle
Spring Design: Coil Spring

Mounting

ZCQ1659A
Coil Spring


HONDA CIVIC VIII Tre volumi (FD, FA)

OE

 51401SNA902
 51401SNA911

 Fitting Position: Front Axle Right
 Spring Design: Coil Spring

ZCQ1664A
Coil Spring

 SEAT IBIZA V (KJ1)
 VW POLO (AW1)

OE

 2Q0 411 105 C
 2Q0 411 105 D

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1666A
Coil Spring

 SEAT IBIZA V (KJ1)
 VW POLO (AW1)

OE

 2Q0 411 105 A
 2Q0 411 105 B

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1667A
Coil Spring

 BMW 3 (F30, F35, F80)
 BMW 3 GRAN TURISMO (F34)
 BMW 4 Cabriolet (F33, F83)
 BMW 4 Coupé (F32, F82)
 BMW 4 Gran Coupe (F36)

OE

 31 33 6 851 923
 31 33 6 851 924
 31 33 6 851 925

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ1675A
Coil Spring


PORSCHE BOXSTER (987)

OE

 987 343 531 10 504
 997 343 531 32 504
 997 343 531 38 504
 997 343 531 44 504
 997 343 531 82 504
 997 343 531 83 504

 Fitting Position: Front Axle
 Spring Design: Coil spring with constant wire diameter

Mounting

ZCQ1676A
Coil Spring

 AUDI A3 (8V1)
 AUDI A3 Cabriolet (8V7)
 AUDI A3 Limousine (8VS)
 AUDI A3 Sportback (8VA)

OE

 5Q0411105FC
 5Q0411105FD

 Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ5471A
Coil Spring


DACIA SANDERO II

OE

 550205184R
 550208332R

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5472A
Coil Spring


DACIA SANDERO II

OE

550201357R

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5821A
Coil Spring

 SKODA KODIAQ
 VW TIGUAN ALLSPACE (BW2)

OE

 5QF 511 115 BH
 5QF511115BH
 5QN 511 115 F
 5QN511115F

 Fitting Position: Rear Axle
 Length [mm]: 347
 Outer Diameter [mm]: 111
 Spring Design: Coil Spring
 Thickness/Strength 1 [mm]: 13,8

ZCQ5822A
Coil Spring

 HYUNDAI TUCSON
 KIA SPORTAGE (QL)

OE

 55350D 7CA0
 55350F 1CB0

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

Mounting

ZCQ5825A
Coil Spring

SUBARU LEGACY V Station wagon (BM, BR)


OE
 20380AJ470

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5827A
Coil Spring

 BMW 3 (F30, F35, F80)
 BMW 3 GRAN TURISMO (F34)
 BMW 4 Cabriolet (F33, F83)

OE
 33 53 6 851 932
 33 53 6 851 933

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5828A
Coil Spring

BMW 5 (F10, F18)


OE
 33536786658

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5831A
Coil Spring

 AUDI A3 (8V1)
 AUDI A3 Sportback (8VA)

OE
 5Q0511115GA
 5Q0511115GB
 5Q0511115KH
 5Q0511115KJ

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5833A
Coil Spring

BMW X1 (F48)


OE
 33 53 6 872 297
 33 53 6 872 298
 6 872 297
 6 872 298

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

Mounting

ZCQ5834A
Coil Spring

MINI MINI COUNTRYMAN (F60)


OE

 33 53 6 866 775
 33 53 6 869 750

 Fitting Position: Rear Axle
 Inner Diameter 1 [mm]: 58
 Length 1 [mm]: 242
 Outer Diameter 1 [mm]: 118
 Specification: con diametro filo no
 Specification: molla elicoidale

ZCQ5835A
Coil Spring

BMW 2 Coupé (F22)


OE

33 53 6 853 130

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5836A
Coil Spring

RENAULT MEGANE CC (EZ0/1_)


OE

550200036R

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5837A
Coil Spring

 AUDI A3 Limousine (8VS)
 AUDI A3 Sportback (8VA)

OE

 5Q0511115DM
 5Q0511115JT
 5Q0511115KC

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5838A
Coil Spring

MINI MINI COUNTRYMAN (F60)


OE

 33 53 6 869 751
 33 53 6 869 752
 33 53 6 869 753

 Fitting Position: Rear Axle
 Inner Diameter 1 [mm]: 58
 Length 1 [mm]: 241
 Outer Diameter 1 [mm]: 118

Mounting

ZCQ5839A
Coil Spring

 BMW 2 Active Tourer (F45)
 BMW X1 (F48)

OE
 33 53 6 866 776

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5844A
Coil Spring


MAZDA CX-3 (DK)

OE
 D10G-28-011A

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5845A
Coil Spring


FORD KA

OE
 2019642
 G1B5-5560-AA

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ5846A
Coil Spring

 SEAT IBIZA V (KJ1)
 VW POLO (AW1)

OE
 2Q0 511 121 CJ
 2Q0 511 121 CK

 Fitting Position: Rear Axle
 Spring Design: Coil Spring

ZCQ90244
Coil Spring

 FIAT DUCATO Autobus (250)
 FIAT DUCATO Pianale piatto/Telaio (250)

OE
 1608309780
 50711909

 Fitting Position: Front Axle
 From Axle Load [kg]: 2000
 Reinforced Version:
 Spring Design: Coil Spring

Mounting

ZCQ90264

Coil Spring



PEUGEOT 207 (WA_, WC_)
 PEUGEOT 207 SW (WK_)

OE
 5002QP
 5002QQ

Fitting Position: Front Axle
 Spring Design: Coil Spring

ZCQ90599

Coil Spring



FIAT IDEA
 LANCIA MUSA (350)

OE

Fitting Position: Front Axle
 Length [mm]: 143
 Outer Diameter [mm]: 143,0
 Wire Diameter [mm]: 11,8